SAFETY DATA SHEET

1. Identification

Product identifier Tide Clethodim 240 EC Herbicide

Other means of identification REGISTRATION NO. 34965 PEST CONTROL PRODUCTS ACT

Recommended use Herbicide
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Tide International Canada, Inc.

Address 245 Hanlon Creek Boulevard

Unit 102 Canada

Telephone 1-866-699-7717 **E-mail** Not available.

Emergency phone number 1-866-699-7717 **Supplier** See above.

2. Hazard identification

Physical hazardsFlammable liquidsCategory 4Health hazardsSkin corrosion/irritationCategory 2

Serious eye damage/eye irritation Category 2B Carcinogenicity Category 2

Specific target organ toxicity following single

exposure

Aspiration hazard Category 1

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement Combustible liquid. Causes skin irritation. Causes eye irritation. Suspected of causing cancer.

May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapour. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, eye protection

Category 3 narcotic effects

and face protection.

Response IF exposed or concerned: Get medical attention. IF SWALLOWED: Immediately call a POISON

CENTRE/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention. IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. In case of fire: Use appropriate media to extinguish. Specific treatment (see

information on this label).

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information Exempt - Registered product - (PEST CONTROL PRODUCTS ACT: REGISTRATION NO. 34965).

#36706 Page: 1 of 9 Issue date 23-October-2023

3. Composition/information on ingredients

| xtures | | | |
|--|--------------------------|--------------|---------|
| Chemical name | Common name and synonyms | CAS number | % |
| Solvent naphtha (petroleum), heav aromatic | у | 64742-94-5 | 45 - 70 |
| Naphthalene | | 91-20-3 | 3 - 7 |
| Benzene, 1,2,4-trimethyl- | | 95-63-6 | 1 - 5 |
| Benzenesulfonic Acid, C10-13-alky Derivs., Calcium Salt | 1 | 1335202-81-7 | 1 - 5 |
| Clethodim | | 99129-21-2 | 240 g/L |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

Inhalation

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Skin contact

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Eye contact

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then, continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

May cause drowsiness and dizziness. Skin irritation. Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Aspiration may cause pulmonary oedema and pneumonitis. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Symptoms may be delayed. Treat patient symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Danger from lung aspiration of petroleum-based solvents must be weighed against toxicity when considering emptying stomach.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

The product is combustible, and heating may generate vapours which may form explosive vapour/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

Flammable properties

None known.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapour. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#36706 Page: 2 of 9 Issue date 23-October-2023

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin and clothing. Avoid breathing vapours or mists. Do not taste or swallow. Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Store in a tightly closed container in a cool, dry and dark place away from incompatible materials. Keep away from heat, sparks and open flame. Keep in an area equipped with sprinklers. To prevent contamination store this product away from food or feed. Store locked up.

8. Exposure controls/Personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Туре | Value |
|--|------|--------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 10 ppm |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Туре | Value | Form |
|--|------|-----------|---------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 123 mg/m3 | |
| , | | 25 ppm | |
| Naphthalene (CAS 91-20-3) | STEL | 79 mg/m3 | |
| | | 15 ppm | |
| | TWA | 52 mg/m3 | |
| | | 10 ppm | |
| Solvent naphtha (petroleum), heavy aromatic (CAS 64742-94-5) | TWA | 200 mg/m3 | Vapour. |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Туре | Value |
|--|------|--------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 25 ppm |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Туре | Value |
|--|------|--------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 10 ppm |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm |

#36706 Page: 3 of 9 Issue date 23-October-2023

| Canada. New | Brunswick | Regulation | 91-191 | . as amended |
|-------------|------------------|------------|--------|--------------|
|-------------|------------------|------------|--------|--------------|

| Туре | Value | |
|------|-------------|--|
| TWA | 123 mg/m3 | |
| | 25 ppm | |
| STEL | 79 mg/m3 | |
| | 15 ppm | |
| TWA | 52 mg/m3 | |
| | 10 ppm | |
| | TWA STEL | TWA 123 mg/m3 25 ppm STEL 79 mg/m3 15 ppm TWA 52 mg/m3 |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Туре | Value |
|--|------|--------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 25 ppm |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm |

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

| Components | туре | value |
|--|------|--------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | TWA | 25 ppm |
| Naphthalene (CAS 91-20-3) | TWA | 10 ppm |

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 2020. S-15.1 Reg. 10. Table 18)

| Components | Туре | Value | Form |
|--|-----------|-----------|---------|
| Benzene, 1,2,4-trimethyl- (CAS 95-63-6) | 15 minute | 30 ppm | |
| | 8 hour | 25 ppm | |
| Naphthalene (CAS 91-20-3) | 15 minute | 15 ppm | |
| | 8 hour | 10 ppm | |
| Solvent naphtha (petroleum), heavy aromatic (CAS 64742-94-5) | 15 minute | 250 mg/m3 | Vapour. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

Naphthalene (CAS 91-20-3) Danger of cutaneous absorption

Canada - Ontario OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

Naphthalene (CAS 91-20-3) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

Naphthalene (CAS 91-20-3)

Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Naphthalene (CAS 91-20-3) Danger of cutaneous absorption

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance Yellowish brown transparent liquid

Physical state Liquid.
Form Liquid.

ColourYellow - brownOdourweak pungentOdour thresholdNot available.

pH 4.6

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 92.3 °C (198.1 °F)
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressure

Not available.

Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) The solution formed a milky emulsion

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 0.95 g/mL

Explosive properties Not explosive.

Oxidising properties Not oxidising.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Incompatible materials Strong oxidising agents. Strong acids. Strong bases. Metals.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulphur.

Chlorine compounds.

#36706 Page: 5 of 9 Issue date 23-October-2023

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness.

Skin contact Causes skin irritation.

Eye contact Causes eye irritation.

Ingestion Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia. May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and

Skin irritation. May cause redness and pain. Irritation of eyes. Exposed individuals may

experience eye tearing, redness, and discomfort. Aspiration may cause pulmonary oedema and

toxicological characteristics pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Components Species Test Results

Benzene, 1,2,4-trimethyl- (CAS 95-63-6)

Acute

Dermal

LD50 Rat > 3440 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 10.2 mg/l/4h, ECHA

Oral

LD50 Rat 6000 mg/kg, ECHA

Naphthalene (CAS 91-20-3)

Acute

Dermal

LD50 Rat > 16000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 0.4 mg/L, 4 Hours, ECHA

Oral

LD50 Rat > 2000 mg/kg, ECHA

Solvent naphtha (petroleum), heavy aromatic (CAS 64742-94-5)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Inhalation

LC50 Rat < 6.5 mg/L, 4 Hours

Oral

LD50 Rat > 2000 mg/kg, ECHA

Skin corrosion/irritation Causes skin irritation.

Exposure minutes Not available.
Erythema value Not available.
Oedema value Not available.

Serious eye damage/eye

irritation

Causes eye irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

value Not available

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitisation

Canada - Quebec OELs: Sensitizer

Benzene, 1,2,4-trimethyl- (CAS 95-63-6)

Sensitiser.

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

#36706 Page: 6 of 9 Issue date 23-October-2023

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Suspected of causing cancer. See below. Carcinogenicity

ACGIH Carcinogens

Naphthalene (CAS 91-20-3) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Naphthalene (CAS 91-20-3) Confirmed animal carcinogen with unknown relevance to humans.

Canada - Quebec OELs: Carcinogen category

Naphthalene (CAS 91-20-3) Detected carcinogenic effect in animals.

IARC Monographs. Overall Evaluation of Carcinogenicity

Naphthalene (CAS 91-20-3) Volume 82 - 2B Possibly carcinogenic to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may **Chronic effects**

be harmful. Prolonged exposure may cause chronic effects.

Further information Not available.

| 12. Ecological information | | | | |
|---|------------------|---|----------------------------|--|
| Ecotoxicity | See below | | | |
| Ecotoxicological data Components | | Species | Test Results | |
| Benzene, 1,2,4-trimethyl- (CAS | 95-63-6) | | | |
| Crustacea | EC50 | Daphnia | 6.14 mg/L, 48 Hours | |
| Aquatic | | | | |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 7.19 - 8.28 mg/L, 96 hours | |
| Naphthalene (CAS 91-20-3) | | | | |
| Algae | IC50 | Algae | 0.4 mg/L, 72 Hours | |
| Crustacea | EC50 | Daphnia | 2.16 mg/L, 48 Hours | |
| Aquatic | | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 1.09 - 3.4 mg/L, 48 hours | |
| Fish | LC50 | Pink salmon (Oncorhynchus gorbuscha) | 1.11 - 1.68 mg/L, 96 hours | |
| Solvent naphtha (petroleum), h | eavy aromatic (C | AS 64742-94-5) | | |
| Algae | IC50 | Algae | 2.5 mg/L, 72 Hours | |
| Crustacea | EC50 | Daphnia | 0.95 mg/L, 48 Hours | |
| Persistence and degradabilit Bioaccumulative potential | y No data is av | vailable on the degradability of any ingredien | nts in the mixture. | |
| Mobility in soil | No data avai | lable. | | |
| Mobility in general | Not available | e. | | |
| Other adverse effects | | verse environmental effects (e.g. ozone dep docrine disruption, global warming potential | | |
| | | 13. Disposal considerations | | |

CONTAINER DISPOSAL: For Recyclable Containers - Do not reuse this container for any **Disposal instructions** purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site.

Before taking the container to the collection site:

(1) Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.

(2) Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with

provincial requirements.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

#36706 Page: 7 of 9 Issue date 23-October-2023 Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control product label:

WARNING: SKIN AND EYE IRRITANT KEEP OUT OF REACH OF CHILDREN.

READ THE LABEL AND BOOKLET BEFORE USING

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Causes eye irritation. DO NOT get in eyes. May irritate the skin. Avoid contact with skin and clothing. Wash concentrate from skin or eyes immediately.

Do not inhale fumes. Avoid breathing vapors or spray mist. After use, wash hands and other exposed skin. When using, do not eat, drink or smoke. Remove and launder contaminated clothing separately from household laundry before reuse. Store the container tightly closed and away from seeds, feeds, fertilizer, plants and foodstuffs.

Observe appropriate provincial spray buffer zones around bodies of water and wetland areas. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. Gloves are not required during application within a closed cab and/or cockpit. In addition, wear protective eyewear (goggles or face shield), rubber apron and rubber boots during mixing, loading, clean-up and repair.

Apply only to agricultural crops when the potential for drift to areas of human habitation and human activity, such as houses, cottages, schools and recreational areas, is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

When tank-mixes are permitted, read and observe all label directions, including rates and restrictions for each product used in the tank-mix. Follow the more stringent label precautionary measures for mixing, loading and applying stated on both product labels.

Exempt - Registered product - (PEST CONTROL PRODUCTS ACT: REGISTRATION NO. 34965).

Canada CEPA Schedule I: Listed substance

Naphthalene (CAS 91-20-3) Listed.

Canada DSL Challenge Substances: Listed substance

Naphthalene (CAS 91-20-3) Listed

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Benzene, 1,2,4-trimethyl- (CAS 95-63-6) 1 TONNES Solvent naphtha (petroleum), heavy aromatic (CAS 1 TONNES

64742-94-5)

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Exempt

International regulations

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)No

Canada Domestic Substances List (DSL) No
Canada Non-Domestic Substances List (NDSL) No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#36706 Page: 8 of 9 Issue date 23-October-2023

16. Other information


| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

HEALTH * 2

FLAMMABILITY 2

PHYSICAL HAZARD 0

PERSONAL PROTECTION



Issue date Effective date Version No. 23-October-2023 23-October-2023

01

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021